



### **GH00 - Basic Outdoor Gas heater**

<b>Model</b>	<b>GH00- Basic Outdoor Gas heater</b>
<b>Material</b>	<b>Cold rolled Steel(Copper)</b>
<b>Dimension</b>	<b>81 x 81 x 225 cm</b>
<b>Heating Output</b>	<b>13kW, adjustable heat output</b>
<b>Serving Area</b>	<b>15m<sup>2</sup></b>
<b>Primary Fuel Type</b>	<b>Liquid propane(excluded)</b>
<b>Burn Time</b>	<b>0.45-0.8 kg/hr (10-12 hrs for 12kg)</b>
<b>Safety Features</b>	<ul style="list-style-type: none"> <li>- <b>Protective screen prevents contact with heat cylinder;</b></li> <li>- <b>Automatic shut off when tilt;</b></li> <li>- <b>100% gas shut off if flame extinguishes</b></li> </ul>
<b>Net Weight</b>	<b>20kg</b>
<b>Certification</b>	<b>CE &amp; CSA certified Water proof IP44</b>



**GH00B – Steel Outdoor Gas Heater**

<b>Model</b>	<b>GH00B- Steel Outdoor Gas heater</b>
<b>Material</b>	<b>Stainless steel (Silver); Cold rolled Steel(Copper)</b>
<b>Dimension</b>	<b>82 x 82 x 225 cm</b>
<b>Heating Output</b>	<b>40,000BTU(11.72kW), adjustable heat output</b>
<b>Serving Area</b>	<b>21-30m<sup>2</sup></b>
<b>Primary Fuel Type</b>	<b>Liquid propane(excluded)</b>
<b>Burn Time</b>	<b>0.45-0.8 kg/hr (10-12 hrs for 12kg)</b>
<b>Safety Features</b>	<ul style="list-style-type: none"> <li>- <b>Protective screen prevents contact with heat cylinder;</b></li> <li>- <b>Automatic shut off when tilt;</b></li> <li>- <b>100% gas shut off if flame extinguishes</b></li> </ul>
<b>Net Weight</b>	<b>20kg</b>
<b>Certification</b>	<b>CE &amp; CSA certified</b>



**GH00C - Rottan Outdoor Gas heater with glass table**

<b>Model</b>	<b>GH00C- Rottan Outdoor Gas Heater with Glass Table</b>
<b>Material</b>	<b>Base: Rattan; Body: Cold rolled Steel (Copper)</b>
<b>Dimension</b>	<b>82 x 82 x 225 cm</b>
<b>Heating Output</b>	<b>40,000BTU(11.72kW), adjustable heat output</b>
<b>Serving Area</b>	<b>21-30m<sup>2</sup></b>
<b>Primary Fuel Type</b>	<b>Liquid propane(excluded)</b>
<b>Burn Time</b>	<b>0.45-0.8 kg/hr (10-12 hrs for 12kg)</b>
<b>Safety Features</b>	<ul style="list-style-type: none"> <li>- Protective screen prevents contact with heat cylinder;</li> <li>- Automatic shut off when tilt;</li> <li>- 100% gas shut off if flame extinguishes</li> </ul>
<b>Net Weight</b>	<b>20kg</b>
<b>Certification</b>	<b>CE &amp; CSA certified</b>



**GH01 - Outdoor gas type heater**

- Stylish: Large Cylindrical Pyrex glass creates a stunning 360° visual effect;
- Even heat distribution: Central flame and cylindrical design delivers even heat
- Safe: Protective screen prevents contact with heat cylinder; Automatic shut off when tilt; 100% gas shut off if flame extinguishes;
- Convenient to store: Retractable design
- Easy to use: No assembling requirement; Wheels for easy moving, Quick start push button electronic igniter

<b>Dimension</b>	<b>580 x 565 x 1800 mm</b>
<b>Heating Output</b>	<b>38,000BTU(11kW),adjustable heat output</b>
<b>Serving Area</b>	<b>21-30m<sup>2</sup></b>
<b>Primary Fuel Type</b>	<b>Liquid propane(excluded)</b>
<b>Burn Time</b>	<b>0.45-0.8 kg/hr (10-12 hrs for 12kg)</b>
<b>Safety Features</b>	- <b>Protective screen prevents contact with heat cylinder;</b> - <b>Automatic shut off when tilt;</b> - <b>100% gas shut off if flame extinguishes</b>
<b>Net Weight</b>	<b>34.5kg</b>
<b>Color</b>	<b>Copper/Sliver</b>
<b>Certification</b>	<b>CE &amp; CSA certified</b>



**GH02 - Outdoor Pyramid Heater**

<b>Material</b>	<b>Stainless steel(Silver/Copper)</b>
<b>Color</b>	<b>Sliver / Copper</b>
<b>Dimension</b>	<b>2300 x 235 x 740mm</b>
<b>Heating Output</b>	<b>13kW</b>
<b>Serving Area</b>	<b>20-30m<sup>2</sup></b>
<b>Primary Fuel Type</b>	<b>Liquid propane or butane gas only(excluded)</b>
<b>Burn Time</b>	<b>0.9 kg/hr (14-16 hrs for 16kg)</b>
<b>Safety Features</b>	<b>Automatic shut off when tilt</b>
<b>Net Weight</b>	<b>33.25kg</b>
<b>Certification</b>	<b>CE &amp; CSA certified</b>



**GH03 – Black Outdoor Gas Heater**

<b>Model</b>	<b>GH03 – Black Outdoor Gas Heater</b>
<b>Material</b>	<b>Imported cold rolled steel</b>
<b>Dimension</b>	<b>57.5 x 49 x 180 cm</b>
<b>Heating Output</b>	<b>38,000BTU(11.4kw),adjustable heat output</b>
<b>Serving Area</b>	<b>21-30m<sup>2</sup></b>
<b>Primary Fuel Type</b>	<b>Liquid propane(excluded)</b>
<b>Burn Time</b>	<b>0.45 - 0.8 kg/hr (10-12 hrs for 12kg)</b>
<b>Safety Features</b>	<ul style="list-style-type: none"> <li>- <b>Protective screen prevents contact with heat cylinder;</b></li> <li>- <b>Automatic shut off when tilt;</b></li> <li>- <b>100% gas shut off if flame extinguishes</b></li> </ul>
<b>Net Weight</b>	<b>20kg, retractable body design</b>
<b>Certification</b>	<b>CE &amp; CSA certified</b>