

01





吊頂除濕機
隱形戰士 除濕無影

02



型號	DE05-26A	DE05-36A	DE05-56A	DE05-96A	DE-05-136A
除濕量	26L/D	36L/D	56L/D	96L/D	136L/D
電壓 / 頻率	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
最大功率	380W	700W	800W	980W	1100W
輸入電流	2A	3A	3.5A	4.5A	5A
風量	270-320m ³ /h	480-560m ³ /h	750m ³ /h	980m ³ /h	1400m ³ /h
適用溫度	5-38°C	5-38°C	5-38°C	5-38°C	5-38°C
機身尺寸	650*330*255mm	782*390*340mm	782*390*340mm	827*510*442mm	827*510*442mm
適用面積	20-40m ²	40-60m ²	60-80m ²	90-120m ²	120-150m ²

鮮風抽濕機工作原理



鮮風抽濕機

型號	DE-05-F-26A	DE-05-F-36A	DE-05-F-56A	DE-05-F-96A	DE-05-F-136A
抽濕量	26L/D	36L/D	56L/D	96L/D	136L/D
電壓 / 頻率	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
最大功率	380W	700W	800W	980W	1100W
輸入電流	2A	3A	3.5A	4.5A	5A
風量	270-320m ³ /h	480-560m ³ /h	750m ³ /h	980m ³ /h	1400m ³ /h
適用溫度	5-38°C	5-38°C	5-38°C	5-38°C	5-38°C
機身尺寸	550*330*255mm	604*390*340mm	604*390*340mm	675*510*442mm	675*510*442mm
適用面積	20-40m ²	40-60m ²	60-80m ²	90-120m ²	120-150m ²

Air 系列 中央管道抽濕系統

中央管道抽濕系統

室內潮濕空氣經過制冷系統(壓縮機、蒸發器、冷凝器)凝結成水由水管排出機外,產生乾燥的空氣輸送到所需區域,如此循環使室內濕度降低,達到乾爽效果。

05




PRODUCT FEATURES

產品特點

優質傳感器:±3%濕度精確控制,任意設定

超靜音設計:整體機身78處靜音處理,確保靜音效果

搭載Panasonic 壓縮機,高效穩定運行,精準抽濕



06

型號	DE-05-A-30L	DE-05-A-40L	DE-05-A-60L	DE-05-A-80L	DE-05-A-100L	DE-05-A-140L
電壓	220V/50Hz					
抽濕量	30L/D	40L/D	60L/D	80L/D	100L/D	140L/D
適用面積	10-40m ²	40-60m ²	60-80m ²	80-100m ²	100-150m ²	150-200m ²
抽濕量測試環境	T=30°C, RH=80%					
最大功率	510W	580W	980W	1150W	1350W	1450W
風量	280m ³ /h	380m ³ /h	500m ³ /h	600m ³ /h	950m ³ /h	1200m ³ /h
機外餘壓	50pa	50pa	80pa	80pa	100pa	100pa
室內出風口	100mm	100mm	150mm	150mm	200mm	200mm
室內進風口	100mm	100mm	150mm	150mm	200mm	200mm
過濾裝置	初效G4	初效G4	初效G4	初效G4	初效G4	初效G4
控制方式	智能自動控制器					
機身尺寸	852*429*250mm	852*429*250mm	946*489*322mm	946*489*322mm	1075*648*376mm	1075*648*376mm