

GF-48/60/80B


Industrial Ground Fan (Water Proof)



GF-B Industrial Ground Fan (Water Proof) is a new product specially developed for improving the comfort of working environment.Self-designed variable frequency speed control, high efficiency and energy saving permanent magnet external rotor motor drive. It has the advantages of low noise, small volume, light weight, compact structure and beautiful appearance.

GF-48/60/80B

Industrial Ground Fan (Water Proof)



Widely used in fitness center, outdoor wedding venues, industrial factory, logistics warehousing, waiting room, exhibition hall, physical education hall and other large space places, as a new type of ceiling fan space ventilation, personnel cooling. It can push a large amount of airflow to the ground, forming a certain height of the moving airflow layer, thus contributing to the overall air circulation; Like the natural breeze system, enjoy the intimate experience of natural wind.





Fitness Centers

Outdoor Weddings

Industrial Plants

Logistics and Storage



Waiting Rooms







Large Shopping Malls



ULTRA SILENT ENERGY SAVING COMFORT

NATURAL THREE-DIMENSIONAL AIR SUPPLY ENHANCE HUMAN COMFORT



GF-B Industrial Ground Fan (Water Proof) had an unique wing design, straight blade diameter from 1~2m, adopting the principle of aerodynamics and advanced technology manufacturing blades wing, formed by strong air agitation ability of circulation flow field, produce like the breeze system of nature, the body will feel three-dimensional wind from all directions, increased sweat evaporation area, increase your comfort level.

Avoid the use of traditional high-speed fan in the direction of the wind all round, causing a variety of human health problems, greatly improve the comfort of the environment.

PERMANENT MAGNET SYNCHRONOUS MOTOR

FEATURES:

- Without rotor losses
- High efficiency and precision
- Large power factor
- Improve grid operating environment.
- Frequency modulation width (0~200HZ)
- Small size and light weight
- Saving energy and high efficient



STREAMLINED FAN BLADE + ENERGY SAVING TAIL

FAN BLADE:

It is made of aluminum and magnesium alloy extruded and stretched, and has the advantages of high strength, good toughness, light weight, long life and safe operation. The fan blade surface is treated with T5+ bright surface oxidation treatment, which enhances the corrosion and oxidation resistance of the fan blade and can cope with special environmental operations.



Airfoil Internal Reinforcement Structure

Tail Fan blade TAIL: When the fan blade is running, the air will generate vortex at the end of the aerofoil fan blade. The tail wing

vortex at the end of the aerofoil fan blade. The tail wing can eliminate this part of energy loss, stabilize the fan operation, and make the air flow more consistent with the aerodynamic principle.




SMART CONTROL SYSTEM

- The system is no position vector control, anti electromagnetic interference, anti radiation, small size, light weight, beautiful appearance.
- System function is simple, 4 buttons easy to operation (start, stop, speed up, slow down).
- System with overvoltage, undervoltage, voltage loss regulation, current, lack of phase, overload, collision, overheating, lightning, abnormal protection.

TECHNICAL DATA

Model	Diameter (m)	Voltage (v)	Frequency (Hz)	Power (kW)	Rotating Speed (rpm)	Air speed (m/s)	Airflow (m³/h)	Weight (kg)	Noise (dB)	Coverage area (m²)
GF-80B	2	220/380	50/60	1	≤ 300	1-5.5	80000	122	39	260
GF-60B	1.5	220/380	50/60	0.75	≤ 420	1-6.5	55000	93	39	150
GF-48B	1	220/380	50/60	0.55	≤ 600	1-7	30000	45	39	80

PLACEMENT ENVIRONMENT



INSTALLATION DATA

Model	L (cm)	W (cm)	H (cm)
GF-80B	222	61	219
GF-60B	172	60	169
GF-48B	122	50	119

GF-48/60/80B

Industrial Ground Fan (Water Proof)





5503 8458 Admin@hkmisting.com hkmisting.com